Smart Fitness Belt Using IOT

Dr.R.Nirmala, P.Agnes Priscilla, A.Gowthami, K.Kiruthiga, K.Mahalakshmi ¹Assoc. prof, ECE Dept, Vivekanandha College of Engineering for Women, Tiruchengode ^{2,3,4,5} ECE Dept, Student, Vivekanandha College of Engineering for Women, Tiruchengode

Abstract: In this day and age, serious issues connected with medical care and medication is because of the absence of appropriate drug and legitimate checking in expected time. There are heaps of electronic-based innovations and IoT based devices through which we can screen the soundness of patient over the web. The specialists in India exploited these brilliant devices and innovation to screen the ailment of the patient. The most objective of this paper is to style low value insulin pump diabetic patients associated observation the health conditions. Controller involving various sensors for knowing the continuous status of the strength of the patients, for example heartbeat sensor and blood glucose sensor to detect the genuine medical issues with the patients. So effective clinical benefits can be given to the patient in exceptionally brief time frame . The device is hooked up to your body via a skinny tube known as an Infusion Set, through which insulin is conveyed. This makes insulin pump therapy terribly discreet. We basically mean to diminish the harm brought about by error in glucose estimation and decide the suitable insulin level utilizing a technique that is more astute, quicker, and more accurate than the manual estimations. Recent advances in diabetes technology and self-management applications have made it easier for patients to access relevant data. Internet of things module is integrated with proposed concept to view the values of sensors in thing speak

Index Terms: Internet of Things, Heartbeat sensor, glucose sensor

INTRODUCTION

Doctor's facilities consistently require excellent organization. The data set of every single piece patients should be useful adequate. Be that as likewise, there should an opportunity to be data evasion. Moreover the open minded data should additionally supporting be kept hidden in the occasion. Social protection might be the larger part basic worry from asserting various countries in the universe. Improving those exists of patients especially in the more fragile pieces of the specific social request which integrate those old, genuinely

also sanely disabled and moreover the persistently wiped out patients might be the fundamental thought will make advanced. On existing system, those data is kept in the indication from asserting desk work or investigating general stockpilling server. Anyway all around that data will be agreeable on every single one of staff furthermore doctors. Therefore we really want help proposing another course the spot open minded what's more doctor fit to compare through flexible order furthermore web demand. To doctor's facilities there need help acquisitions to constant screening from guaranteeing patients. Their pulses need help endlessly monitored. There might be no acquirement on check those boundaries the moment that they trade will home. What's all the more consequently there is an open door that the affliction could return again. Patient-Health's data (hightemperature, Cardiac recurrence, position) will be every so often estimated and communicated through net-server. Time about sending (say every 3 min) could an opportunity to be arranged. Actually looking at individual takes in lenient specific edge. Around the standard internal heat level of an open minded is 37°c. while solitary persnickety faculties hot in as much internal heat level is 37. 0°c.By using an averaging technologable in A modestly lengthy time span, onlooker could take these edges for patients. Using same arrangement previously, doctor's high level cell phone, expert could point of view as much quiet's prosperity status. At any of the boundary jumps past the edge regard he will get a wariness notice. Using Android arrangement secured close by quiet's on the other hand as much overseer's sharp phone those lenient could see as much prosperity status. Exactly on schedule distinguishing proof what's more finding of possibly destructive incident physiological states for instance, with the end goal that heart strike require relentless following about patient's prosperity emulating trade from facility on home. Examinations bring showed that 30% of patients for a delivery finding from guaranteeing

heart disillusionment need help readmitted something like when inside multiple times for degrees stretching out from 24 - 55% inside 4-6 months. In light of the resistance to such requirements, prosperity checking structures are consistently proposed as a low pamper result. Such a game plan includes physiological data that stores, change also compare through a close by way for instance, with the end goal those sharp telephones, individual Pcs. Such systems should additionally supporting satisfy severe wellbeing, security, unwavering quality, also long stretch constant operation necessities. In the suggested system we show a prosperity noticing structure that usage of the detecting hubs for social occasion data from enduring individuals, scholarly individuals' conjectures prosperity position Furthermore gives feeling should specialists through their adaptable mechanical assemblies hosting arrangement. The patients will participate in the administrations methodology eventually human Tom's examining their flexible mechanical assemblies and subsequently could right their prosperity information from wherever any event when. Today web need transformed into a champion among the basic and just our every day term. It should be adjusted the way that people make due, grind, accept as well as gain. Web-servers for numerous inspiration enlightenments, financial aspects, occupational, productions, entertaining, informal communication, shopping, e-Commerce sectors, etc. That next new super example of web can't avoid being web for things (IoT). Visualizing our ongoing reality the spot a couple of questions could detect, speak Also stake larger part of the information again a private web Protocol (IP) or open Those interconnectedness questions accumulate the data at standard stretches, explore what's more used on send off obliged activity, giving a wisely framework to dissecting, organizing Also decision making. This will be those planets of the snare of things (IoT). Those IOT might be generally recognized similarly as connecting Questions of the web also using that relationship to control for the people Questions or remote following. Be that this definition could have been insinuated just ought to and just IoT headway recognizing those machine on machine business area today. However all the certifiable definition from asserting IoT might be making a splendid, imperceptible framework which

could make detected, managed Furthermore modified. The outcomes delivered considering IoT consolidate embedded designing association which licenses them ought to exchange data, for each other(on the other hand those web and it is assessed that north of 8 to 50 billion units will an opportunity to be related toward 2020. Since these contraptions hail on the web, they give outstanding term style; make more secure Also extra charmed bunches Furthermore upset social protection. Those entire thought of IoT waits around sensors, section Also remote sort out which engage clients on compare what's more get the application/data.

PROPOSED SYSTEM

The proposed system, records the heartbeat and blood glucose level and it incorporates information procurement and handling of information from the patient and afterward this wellbeing related information is shipped off the clinical staff through Internet of things (ToI) microcontroller.Extra insulin can be conveyed "on request" to match the food you will eat or to address a high glucose. In light of the blood glucose level the insulin will be infused consequently. At the point when heartbeat rate shifts in view of the sensor esteem, crisis will be displayed in display. The proposed framework, records the heartbeat and blood glucose level and it incorporates an information obtaining and handling of information from the patient and afterward this wellbeing related information is shipped off the clinical staff through Internet of things (IoT) by utilizing microcontroller. Extra insulin can be conveyed "on request" to match the food you will eat or to address a high glucose. In view of the blood glucose level the insulin will be infused naturally. Whenever heartbeat rate changes in light of the sensor esteem, crisis will be displayed in show.




Fig.1. Block diagram

HARDWARE SPECIFICATIONS

ARDUINO UNO:

The Arduino Uno can be a microcontroller board maintained the ATmega328 (datasheet). It's fourteen electronic information/yield pins (of that 1/2-dozen in expansion used as PWM yields), it's fourteen advanced input/yield pins (of that 1/2-dozen is also utilized as PWM yields). An impact on jack, accomplice in Nursing ICSP header, and a button AC-DC connector or on the other hand battery to empower initiated the FTDI USB to-sequential driving drive chip. Rather, its choices the Atmega8U2 customized as a USB-to-sequential apparatus. The Uno and model one USB Arduino sheets, so the reference model for the Arduino.



Fig .2. Arduino UNO

PIC MICROCONTROLLER [PIC16F877A]:

PIC16F877A is utilized in numerous pic microcontroller projects. PIC16F877A likewise have a lot of use in advanced gadgets circuits. PIC16f877a tracks down its applications in an immense number of gadgets. It is utilized in far off sensors, security and wellbeing gadgets, home robotization and numerous modern instruments.



Fig.3. Pic Microcontroller [PIC 16F877]

TEMPERATURE SENSOR:

LM35 is a temperature sensor that yields a simple sign which is corresponding to the quick temperature.

The result voltage can undoubtedly be deciphered to acquire a temperature perusing in Celsius. The upside of LM35 over thermistor is it requires no outer adjustment. The covering likewise safeguards it from self-warming. Minimal expense (around \$0.95) and more prominent exactness make it famous among specialists, Do-It-Yourself circuit creators, and understudies. Some low-finished results exploit minimal expense, more noteworthy exactness 16 and involved LM35 in their items. It's roughly 15+ years to its most memorable delivery however the sensor is as yet making due and is utilized in any items.




Fig.4. Temperature Sensor

PULSE RATE SENSOR:

It estimates the adjustment of volume of blood through any organ of the body which causes an adjustment of the light power through that organ (connective area). On account of utilizations where the heart beat rate is to be observed, the planning of the beats is more significant. The progression of blood volume is concluded by the pace of heart beats and since light is consumed by the blood, the sign heartbeats are comparable to the heartbeat pulses. The locator yield is as the electrical sign and is relative to the heartbeat rate. The advanced heartbeats are given to a microcontroller for working out the heartbeat rate.




Fig.5. Pulse rate sensor

BLOOD GLUCOSE LEVEL SENSOR:

Glucose sensors are utilized to quantify the blood glucose centralization of a patient and are a significant piece of overseeing diabetes mellitus. Type 1 and type 2 diabetes are the most widely recognized types of diabetes. Type 1 diabetes is generally analyzed in kids and youthful grown-ups and represents around 5% of all analyzed instances of diabetes. Type 2 diabetes has been analyzed in huge number of Americans. As per diabetes report card 2012 gave by Public Community for Persistent Sickness Avoidance and Wellbeing Advancement, 18.9% of US grown-ups more than 65 years of age are analyzed as diabetes in 2007-2009. Patients with Type 1 diabetes might test their glucose five to ten times each day for them to really screen their glucose levels. Type 2 diabetics may likewise consider observing their glucose levels everyday in light of their gamble for future unexpected issues because of the sickness. Blood glucose testing might be additionally required for patients with different sicknesses which might influence the pancreas like cystic fibrosis. In sports medication, checking states of being of athletes is utilized. Typical blood glucose levels range between 80-120 mg/dL with spikes arriving at up to 250 mg/dL after suppers. The sensor ought to likewise have the option to gauge the limits in glucose levels (between 20-500 mg/dL, or 1-30 mM) which a patient might insight during an episode of hyper or hypoglycemia and ought to have a goal of ~ 1 mg/dL, or $\sim 50 \mu M$.



Fig.6. Blood Glucose level sensor

INSULIN PUMP:

An insulin pump is a little modernized gadget. It conveys insulin through a meager cylinder that goes under your skin. The pump is about the size of a cell phone. You append it to your body utilizing an imbuement set: slim plastic tubing and either a needle or a little tightened tube called a cannula you

put under the skin. Where you put it in your midsection, butt cheek, or in some cases thigh is known as the imbuement site. A few siphons accompany inserters for simpler position even in difficult to-arrive at regions. Insulin pump utilize short-acting and fast acting insulin, however not long-acting, since the pump is modified to convey a limited quantity persistently to keep your glucose levels even.



Fig.7. Insulin pump

FEATURE SCOPE:

IoT utilizes incorporate gadgets that help patients with their medicine adherence at home; rest checking gadgets that can follow pulse, oxygen levels and developments for high-risk patients; far off temperature observing instruments; and persistent glucose checking sensors that associate with cell phones and ready patients and clinicians to changing glucose level. The model is the utilization of shrewd caretaker cameras for observing old patients. These shrewd cameras perceive when schedules stray from the standard, for example, in the event that an old individual goes into the restroom however doesn't emerge after a brief timeframe. One more use of the camera is for fall location, which would then alarm crisis administrations or parental figures. Different purposes of IoT that will start to drift in the future incorporate the utilization of bots or virtual specialists to communicate with patients. By consolidating sensor data gathered by various IoT gadgets and sensors and utilizing voiceempowered speakers, seniors can approach an individual remote helper to remind them to take their medicine, overview them for any significant data that connects with their wellbeing or torment levels, and respond to any gathered data from their gadgets, for example, glucose levels, fall discovery or oxygen levels. Past wearable's and patientexplicit communications, medical care associations will take on IoT in offices for stock administration and hardware following. By following the development of gear and general use, medical clinics will get better perceivability of potential hardware deficiencies and who might have interacted with the gear. This is particularly significant for forestalling the spread of disease, for example, pandemic constrained emergency clinics to follow hardware and staff who interacted with tainted patients.




Fig.8. Overall of smart fitness belt using Iot

CONCLUSION

With the wide utilization of internet .this work is concentrated to execute the internet innovation to lay out the system which could discuss through the internet for better well being .Internet of things governs the entire world in different fields, principally in different areas. Henceforth the current work is done to plan an Internet of things based smart patient heath tracking system utilizing an Arduino microcontroller .In this, pulse rate sensor is utilized to detect the heart beat and temperature sensor to peruse the temperature and sends the information to the cloud using internet. This information also send to the LCD display, so patient can easily know their health status. During basic circumstances to caution the doctor, the admonition message is sent to the doctor's phone and simultaneously goes to the alarm the overseer. The doctor can see the sent the information by logging the particular site or IP address. Henceforth patient monitoring system is designed.

REFERENCES

- S. A. Kokkali, A. R. Mali, P. A. Mundada and R. H. Sontakke, "Smart health band using IoT," 2017 IEEE International Conference on Power, Control, Signals and Instrumentation Engineering (ICPCSI), 2017.
- [2] Optimal Insulin Bolus Dosing in Type 1 Diabetes Management: Neural Network Approach Exploiting CGM Sensor Information. Giacomo Cappon, Martina Vettoretti in OCTOBER 2020
- [3] Z. Achmed and G. Miguel, "Assimilating Wireless Sensing Nets with Cloud& Computing," 2010 Sixteenth International Conference Mobi. Ad-hocc Sense. Networks, pp. 263–266, Oct. 2010.
- [4] Development of a Single-Site Device for Conjoined Glucose Sensing and Insulin Delivery in Type-1 Diabetes Patients. Mathias Tschaikner, Amra Simic in MAY 2020.
- [5] Siddharth A Kokalki, Akshay R Mali, Pawan A Mundada, Ritesh H Sontakke 2017 IEEE International Conference on Power, Control, Signals and Instrumentation Engineering (ICPCSI), 1683-1687, 2017.
- [6] Low cost inkjet printed smart bandage for wireless monitoring of chronic wounds Muhammad Fahad Farooqui, Atif Shamim Scientific reports 6 (1), 1-13, 2016.
- [7] COVID-SAFE: an IoT-based system for automated health monitoring and surveillance in post-pandemic life Seyed Shahim Vedaei, Amir Fotovvat, Mohammad Reza Mohebbian, Gazi ME Rahman, Khan A Wahid, Paul Babyn, Hamid Reza Marateb, Marjan Mansourian, Ramin Sami IEEE access 8, 188538, 2020.
- [8] A System for Blood Glucose Monitoring and Smart Insulin Prediction Yusra Obeidat, Ahmad Ammar IEEE Sensors Journal 21 (12), 13895-13909, 2021.
- [9] Reinforcement-Learning-Enabled Partial Confident Information Coverage for IoT-Based Bridge Structural Health Monitoring Lingzhi Yi, Xianjun Deng, Laurence T Yang, Hengshan Wu, Minghua Wang, Yi SituIEEE Internet of Things Journal 8 (5), 3108-3119, 2020.
- [10] Multiscale Modeling of Insulin Secretion Morten Gram Pedersen, Chiara Dalla Man, in AUGUST 2021.